

TRAVERSEWAY TABLES FOR RUNWAY 06 END
EXISTING APPROACHES - SHEET # 6

RUNWAY 06 TRAVERSEWAY TABLE							
TRAVERSEWAY NUMBER	TRAVERSEWAY ELEVATION (MSL)	TRAVERSEWAY CLEARANCE (AGL)	RW 06 DEPARTURE SURFACE (40:1)	RW 06 THRESHOLD SITING APPROACH (20:1)	RW 06 PART 77 APPROACH (34:1)	RW 06 GLIDE PATH QUALIFICATION SURFACE (30:1)	DISPOSITION AND TRIGGER
R3	1042.9	10	-45.7	-83.0	-48.2	-41.5	NO ACTION
R4	1042.3	15	-43.3	-82.5	-46.1	-39.7	NO ACTION
R5	1036.7	10	-87.9	-160.3	-96.6	-115.4	NO ACTION
R6	1035.5	10	-89.3	-162.9	-98.2	-117.2	NO ACTION
R20	1036.0	15	-95.1				NO ACTION
R21	1042.1	15			-78.1		NO ACTION
R22	1043.0	15		-115.7			NO ACTION
R23	1048.0	15		-54.9			NO ACTION
R24	1043.2	15			-22.9		NO ACTION
R25	1041.9	15	-20.3				NO ACTION
R26	1033.8	10	-86.5				NO ACTION
R27	1033.7	10	-88.3				NO ACTION
R28	1042.8	10		-124.1			NO ACTION
R29	1041.7	10			-83.5		NO ACTION
R30	1041.7	10			-93.4		NO ACTION
R31	1041.7	10		-168.2			NO ACTION
R32	1037.7	15			-106.3		NO ACTION
R33	1037.7	15		-190.1			NO ACTION
R39	1041.7	15			-72.8		NO ACTION
R40	1043.4	15			-47.7		NO ACTION
R41	1041.2	10			-116.9		NO ACTION
R42	1036.7	15			-142.9		NO ACTION
R64	1044.8	15		-57.3			NO ACTION
R65	1038.6	15			-43.6		NO ACTION
R66	1036.6	15	-52.1				NO ACTION

NOTE: TRAVERSEWAY ELEVATIONS ARE THE ACTUAL ROAD SURFACE ELEVATIONS. PENETRATION VALUES ARE CALCULATED TO INCLUDE THE TRAVERSEWAY CLEARANCE REQUIRED AMOUNT.

TRAVERSEWAY TABLES FOR RUNWAY 24 END
EXISTING APPROACHES - SHEET # 7

RUNWAY 24 TRAVERSEWAY TABLE							
TRAVERSEWAY NUMBER	TRAVERSEWAY ELEVATION (MSL)	TRAVERSEWAY CLEARANCE (AGL)	RW 24 DEPARTURE SURFACE (40:1)	RW 24 THRESHOLD SITING APPROACH (34:1)	RW 24 PART 77 APPROACH (30:140:1)	RW 24 GLIDE PATH QUALIFICATION SURFACE (30:1)	DISPOSITION AND TRIGGER
R1	1041.9	15	-21.0	-22.3	-8.8	-34.6	NO ACTION
R2	1043.7	15	-71.0	-81.5	-46.4	-101.9	NO ACTION
R10	1039.0	15	-2.5				NO ACTION
R11	1039.5	15			3.3		TO BE OBSTRUCTION LIGHTED
R12	1039.5	15		-7.0			NO ACTION
R13	1040.2	15		-48.9			NO ACTION
R14	1040.5	15			-31.2		NO ACTION
R15	1043.1	15	-46.0				NO ACTION
R16	1042.4	15			-34.4		NO ACTION
R17	1042.4	15		-63.7			NO ACTION
R18	1041.0	10	-11.5				NO ACTION
R19	1037.8	10			-8.5		NO ACTION
R67	1037.2	15			-29.1		NO ACTION
R68	1040.9	15			-47.3		NO ACTION
R69	1042.9	15		-92.3			NO ACTION
R70	1045.0	15			-110.9		NO ACTION

NOTE: TRAVERSEWAY ELEVATIONS ARE THE ACTUAL ROAD SURFACE ELEVATIONS. PENETRATION VALUES ARE CALCULATED TO INCLUDE THE TRAVERSEWAY CLEARANCE REQUIRED AMOUNT.

OBSTRUCTION TABLES FOR RUNWAY 06 END
EXISTING APPROACHES - SHEET # 6

RUNWAY 06 OBSTRUCTION TABLE									
OBSTACLE NUMBER	OBSTACLE ELEVATION (AMSL)	OBSTACLE HEIGHT (AGL)	RW 06 EXISTING DEPARTURE SURFACE (40:1)	RW 06 EXISTING THRESHOLD SITING APPROACH (20:1)	RW 06 EXISTING PART 77 APPROACH (34:1)	RW 06 EXISTING TRANSITIONAL SURFACE	RW 06 EXISTING GLIDE PATH QUALIFICATION SURFACE (30:1)	ON AIRPORT PROPERTY	DISPOSITION AND TRIGGER
B141	1071.9	24.0	-16.8	-44.1	-17.5			NO	OBSTACLE WITHIN RPZ
B387	1084.4	21.8	-34.5	-72.2	-37.1			NO	OBSTACLE WITHIN RPZ
B399	1060.9	15.1	-35.1	-69.8	-37.1			NO	OBSTACLE WITHIN RPZ
B400	1060.0	15.6	-38.4	-75.5	-40.8			NO	OBSTACLE WITHIN RPZ
B402	1055.2	9.9	-43.1	-80.1	-45.5			NO	OBSTACLE WITHIN RPZ
T158	1108.0	74.5	-5.6					NO	TRIM OR REMOVE -10-YR CIP
T159	1121.6	87.9	8.2					NO	TRIM OR REMOVE -10-YR CIP
T398	1091.3	42.4	3.6		3.0			NO	TRIM OR REMOVE -5-YR CIP
T399	1113.0	66.6	16.7		14.8		1.7	NO	TRIM OR REMOVE -5-YR CIP
T400	1091.9	47.1	-3.9		-5.9			NO	TRIM OR REMOVE -5-YR CIP
T401	1105.4	59.8	10.9		9.2		-3.5	NO	TRIM OR REMOVE -5-YR CIP
T402	1106.2	58.8	14.2		12.9		0.7	YES	TRIM OR REMOVE -5-YR CIP
T403	1100.3	53.0	10.0		9.1		-3.0	NO	TRIM OR REMOVE -5-YR CIP
T404	1092.5	44.1	4.1		3.5		-8.2	YES	TRIM OR REMOVE -5-YR CIP
T801	1108.4	67.1	-8.8		-14.6			NO	TRIM OR REMOVE -10-YR CIP
T802	1107.1	66.2	-7.3		-12.6			NO	TRIM OR REMOVE -10-YR CIP
T803	1114.2	78.0	0.7		-4.4			NO	TRIM OR REMOVE -10-YR CIP
T812	1106.2	67.2	-3.7		-8.1			NO	TRIM OR REMOVE -10-YR CIP
T813	1105.8	65.6	-1.8		-5.9			NO	TRIM OR REMOVE -10-YR CIP
T821	1111.5	65.8	14.9		12.8		-0.2	NO	TRIM OR REMOVE -5-YR CIP
T822	1108.6	63.3	11.1		8.8		-4.3	NO	TRIM OR REMOVE -5-YR CIP
T823	1113.3	69.9	13.7		11.1		-2.4	NO	TRIM OR REMOVE -10-YR CIP
T824	1084.9	38.1	-13.6					YES	TRIM OR REMOVE -5-YR CIP
T826	1111.7	67.5	13.4		10.9		-2.3	NO	TRIM OR REMOVE -5-YR CIP
T839	1120.7	76.6	-12.4					NO	TRIM OR REMOVE -10-YR CIP
T840	1120.7	77.0	-14.3					NO	TRIM OR REMOVE -10-YR CIP
T841	1122.7	79.6	-12.3					NO	TRIM OR REMOVE -10-YR CIP
T843	1129.9	87.1	-4.0		-12.7			NO	TRIM OR REMOVE -10-YR CIP
T894	1122.9	84.0	-8.7					NO	TRIM OR REMOVE -10-YR CIP
T1110	1079.4	38.2	-9.3					NO	TRIM OR REMOVE -5-YR CIP
T1111	1088.8	49.1	2.0					NO	TRIM OR REMOVE -5-YR CIP
T1112	1088.2	47.2	0.8					NO	TRIM OR REMOVE -5-YR CIP
T1113	1077.5	35.7	-12.2					NO	TRIM OR REMOVE -5-YR CIP
T2181	1079.8	38.7	-4.8		-4.8			NO	TRIM OR REMOVE -5-YR CIP
T2205	1075.3	29.4	-11.7		-12.1			NO	TRIM OR REMOVE -5-YR CIP
T2217	1088.9	44.6	-2.0		-3.1			NO	TRIM OR REMOVE -5-YR CIP
T2219	1073.5	25.6	-12.4		-12.6			YES	TRIM OR REMOVE -5-YR CIP
T2222	1070.5	21.6	-14.2		-14.3			YES	TRIM OR REMOVE -5-YR CIP
T2225	1092.2	42.8	6.8		6.7		-4.6	YES	TRIM OR REMOVE -5-YR CIP
T2226	1074.3	25.1	-11.9		-12.2			YES	TRIM OR REMOVE -5-YR CIP
T2311	1088.6	46.6	-10.3		-12.8			NO	TRIM OR REMOVE -10-YR CIP
T2348	1099.4	58.1	-7.1		-10.9			NO	TRIM OR REMOVE -10-YR CIP
T2350	1114.5	73.2	5.9		1.8			NO	TRIM OR REMOVE -10-YR CIP
T2351	1113.1	74.2	2.0		-2.7			NO	TRIM OR REMOVE -10-YR CIP
T2352	1111.9	73.6	0.3		-4.4			NO	TRIM OR REMOVE -10-YR CIP
T2353	1111.4	72.9	-0.2		-5.0			NO	TRIM OR REMOVE -10-YR CIP
T2354	1096.3	41.4	-14.9					NO	TRIM OR REMOVE -10-YR CIP
T2409	1101.0	55.5	-6.7		-10.8			YES	TRIM OR REMOVE -5-YR CIP
T2410	1093.6	47.2	-11.8		-1.4			YES	TRIM OR REMOVE -5-YR CIP
T2411	1104.9	58.4	1.8		5.1			YES	TRIM OR REMOVE -5-YR CIP
T2412	1108.6	61.1	8.0		2.2			YES	TRIM OR REMOVE -5-YR CIP
T2414	1110.6	66.6	5.8		10.9		-12.1	YES	TRIM OR REMOVE -5-YR CIP
T2416	1116.7	72.5	14.1		10.2			YES	TRIM OR REMOVE -5-YR CIP
T2417	1114.6	70.8	13.2				-3.5	NO	TRIM OR REMOVE -10-YR CIP
T2423	1088.9	46.6	-14.3					NO	TRIM OR REMOVE -10-YR CIP
T2435	1098.3	59.9	-12.5					NO	TRIM OR REMOVE -10-YR CIP

NOTES: THERE ARE NO PENETRATIONS TO THE OBSTACLE FREE ZONE, THRESHOLD SITING APPROACH AND THE PART 77 TRANSITIONAL SURFACE.
* = CONTROLLING OBSTACLE IS HIGHLIGHTED

OBSTRUCTION TABLES FOR RUNWAY 24 END
EXISTING APPROACHES - SHEET # 7

RUNWAY 24 OBSTRUCTION TABLE									
OBSTACLE NUMBER	OBSTACLE ELEVATION (AMSL)	OBSTACLE HEIGHT (AGL)	RW 24 EXISTING DEPARTURE SURFACE (40:1)	RW 24 EXISTING THRESHOLD SITING APPROACH (34:1)	RW 24 EXISTING PART 77 APPROACH (30:140:1)	RW 24 EXISTING TRANSITIONAL SURFACE	RW 24 EXISTING GLIDE PATH QUALIFICATION SURFACE (30:1)	ON AIRPORT PROPERTY	DISPOSITION AND TRIGGER
B80	1038.8	8.1					1.0 (PS)	YES	GLIDESLOPE SHELTER ABANDONED
TWR2	1079.2	47.8					47.8 (PS)	YES	GLIDESLOPE TOWER ABANDONED
T255	1080.6	36.2	-12.6				2.7	YES	TRIM OR REMOVE -5-YR CIP
T256	1065.9	22.1					-14.0	YES	TRIM OR REMOVE -5-YR CIP
T257	1067.5	24.0					-8.6	YES	TRIM OR REMOVE -5-YR CIP
T279	1127.8	83.0				8.3		NO	TRIM OR REMOVE -5-YR CIP
T285	1120.5	73.5	14.7					NO	TRIM OR REMOVE -5-YR CIP
T286	1122.5	75.7	14.7				-4.8	NO	TRIM OR REMOVE -5-YR CIP
T287	1117.0	72.1	7.1				-1.7	NO	TRIM OR REMOVE -5-YR CIP
T288	1128.0	79.4	16.1				18.4	NO	TRIM OR REMOVE -5-YR CIP
T289	1134.2	86.5	20.4				33.5	NO	TRIM OR REMOVE -5-YR CIP
T290	1134.6	86.5	18.4				30.2	NO	TRIM OR REMOVE -5-YR CIP
T291	1117.8	71.0	3.5				1.8	NO	TRIM OR REMOVE -5-YR CIP
T292	1121.3	72.8	9.0				-4.9	NO	TRIM OR REMOVE -5-YR CIP
T293	1117.0	67.9	6.4					NO	TRIM OR REMOVE -5-YR CIP
T294	1128.0	80.0					-14.7	NO	TRIM OR REMOVE -5-YR CIP
T360	1100.9	55.9					-1.4	NO	TRIM OR REMOVE -10-YR CIP
T366	1035.2	13.2	-12.4		-8.5		-6.3	YES	TRIM OR REMOVE -5-YR CIP
T367	1030.1	6.6					-11.1	YES	TRIM OR REMOVE -5-YR CIP
T368	1031.7	15.4					-9.4	YES	TRIM OR REMOVE -5-YR CIP
T1267	1112.3	74.2	11.2		-11.4			NO	TRIM OR REMOVE -10-YR CIP
T1272	1115.9	78.8	20.9				-6.5	NO	TRIM OR REMOVE -10-YR CIP
T1294	1103.2	61.5					-10.1	NO	TRIM OR REMOVE -10-YR CIP
T1308	1100.9	58.4					-11.5	NO	TRIM OR REMOVE -10-YR CIP
T1322	1096.2	53.3					-12.9	NO	TRIM OR REMOVE -5-YR CIP
T1358	1070.9	30.3					-1.9	NO	TRIM OR REMOVE -5-YR CIP
T1359	1058.7	18.0					-13.6	NO	TRIM OR REMOVE -5-YR CIP
T1360	1087.8	47.5	2.2		-0.5		16.0	NO	TRIM OR REMOVE -5-YR CIP
T1380	1079.2	36.5					-2.2	YES	TRIM OR REMOVE -5-YR CIP
T1381	1071.6	20.0					-11.6	YES	TRIM OR REMOVE -5-YR CIP
T1383	1072.6	30.4					-11.7	YES	TRIM OR REMOVE -5-YR CIP
T1384	1070.9	29.0					-14.1	YES	TRIM OR REMOVE -5-YR CIP
T1438	1093.3	49.0					-5.3	NO	TRIM OR REMOVE -5-YR CIP
T1535	1045.5	26.5					-6.7	YES	TRIM OR REMOVE -5-YR CIP
T1538	1042.2	22.0	-3.5				0.1	YES	TRIM OR REMOVE -5-YR CIP
T1537	1037.2	20.9	-9.2				-9.8	YES	TRIM OR REMOVE -5-YR CIP
T1538	1038.0	22.0	-8.1				-4.3	YES	TRIM OR REMOVE -5-YR CIP
T1539	1038.0	9.4	-13.8				-6.8	YES	TRIM OR REMOVE -5-YR CIP
T1540	1032.9	12.5	-14.7		-10.6		-6.6	YES	TRIM OR REMOVE -5-YR CIP
T1541	1033.2	11.0	-14.2				-8.1	YES	TRIM OR REMOVE -5-YR CIP
T1542	1033.0	12.8	-14.3				-8.2	YES	TRIM OR REMOVE -5-YR CIP
T1543	1029.3	10.7					-10.8	YES	TRIM OR REMOVE -5-YR CIP
T1544	1030.3	11.1					-10.7	YES	TRIM OR REMOVE -5-YR CIP
T1545	1039.0	10.4	-15.0				-7.6	YES	TRIM OR REMOVE -5-YR CIP
T1548	1040.5	6.4					-11.4	YES	TRIM OR REMOVE -5-YR CIP
T1548	1073.5	37.8	18.7				23.4	YES	TRIM OR REMOVE -5-YR CIP
T1549	1062.7</								